

SALES OFFICES AND REPRESENTATIVES

Atlanta, Georgia 30305
24 E. Andrews Dr. N.W. Phone 237-5531

Boston, Mass., Office
118 Main St.
Watertown, Mass. Phone 924-2214

Chicago, Illinois 60641
3672 Milwaukee Avenue Phone 282-7100

Cleveland Office
P. O. Box 9055
Maple Heights, Ohio 44237 Phone 663-6600-01-02

Dallas, Texas 75218
210 Casa Linda Plaza Phone 328-3511

Dayton, Ohio 45439
3300 S. Dixie Dr. Phone 299-5505

Denver, Colorado
1325 South Inca Phone 733-5561

Detroit, Mich., Office
2254 Cole Avenue
Birmingham, Michigan Phones 566-7964
646-0100

Houston, Texas 77025
4007 Bellaire Blvd. Phone 664-1435

Los Angeles, California 90022
6121 Randolph Street Phones 685-4880
728-9908
933-6400

Milwaukee, Wisconsin
933-6400

Minneapolis, Minnesota 55408
721 West Lake Street Phone 827-2525

New York, N. Y., Office
South Broadway & Sunnyside Lane
Tarrytown, New York Phone 591-7400

Philadelphia, Pa. 19129
4343 East River Drive Phone 844-8891

Portland, Oregon 97208
P. O. Box 4098 Phone 226-4148

Rochester, New York 14604
842 Sibley Tower Bldg. Phone 426-1580

San Francisco, Office
801 Mahler Road
Burlingame, California 94010 Phone 697-6766

Seattle, Washington 98199
422 First Avenue West Phone 284-1121

St. Louis, Missouri 63105
215 N. Meramec Avenue Phone 727-8695

Washington, D. C. 20006
R.C.A. Bldg., Suite 902
1725 K Street, N.W. Phone 337-0333

Winter Park, Florida
P. O. Box 416 Phone 305-644-4316

Toronto, Ontario, Canada
A. C. Simmonds & Sons, Ltd.
100 Merton Street Phone 485-9111

MALLORY

LITERATURE AND PRODUCT INDEX

A variety of products including electrical and electronic components, batteries and special metals and materials are offered by P. R. Mallory & Co. Inc. through its operating divisions. This booklet lists literature available from each of these divisions. Specific data such as sizes, ratings, and physical properties, or that which is applicable to the product described is included in the literature.

Please request literature by form number. For your convenience you may either use the postcard on the back cover or send your request directly to the appropriate division.

© P. R. Mallory & Co. Inc.

PAGE	DESCRIPTION
6.....	Batteries, Manganese Alkaline
6.....	Batteries, Mercury
7.....	Buzzers
14.....	Capacitors, AC Paper Dielectric
13, 14.....	Capacitors, Aluminum Electrolytic
12.....	Capacitors, Ceramic
14, 15.....	Capacitors, Tantalum
11.....	Carbon Controls
10.....	Contacts
15.....	Corporate Information
8.....	Diodes
7.....	Inductuners®
11.....	Jacks & Plugs
10.....	Material for Electrical Discharge Machining
10.....	Metals, High Density
10.....	Metals, Refractory
11.....	Microcomponents
11.....	Potentiometers
8, 9.....	Rectifiers, Silicon
8.....	Rectifiers, Silicon Prepackaged Circuit
12.....	Relay, Self-Holding Resonant

Replacement Component Data

4.....	Capacitors
5.....	Vibrators
5.....	Controls
5.....	Prepackaged Silicon Rectifiers
5.....	Zener Diodes
4.....	General Catalog
10.....	Resistance Welding Products
11.....	Resistors, Vitreous Enamel
11.....	Resistors, Film
11.....	Switches
12.....	Timer Switches
12.....	Timers, Interval
7.....	Vibrators
7.....	Vibrapacks®
16.....	Sales Offices

MALLORY SEMICONDUCTOR COMPANY

Du Quoin, Illinois

Plastic encapsulated and hermetically sealed single rectifiers, packaged rectifier circuits and zener diodes. Semiconductor devices available in a range of 500 milliamperes to 25 amperes.

Form 11-6.....Axial lead silicon rectifiers. Cold case design. 2 pp.

Form 11-7.....Parallel Lead. Humidity resistant—silicon rectifiers. 2 pp.

Form 11-8.....Parallel lead silicon rectifiers. Cold case design. 2 pp.

Form 11-14.....Axial lead silicon rectifiers. Hermetically sealed case. 2 pp.

Form 11-16.....Prepackaged silicon rectifier circuits designed to replace individual units in multi-rectifier circuits. Four types: full wave center tap, cold case; voltage doubler, cold case; voltage doubler, hermetically sealed; full wave bridge, cold case. 4 pp.

Form 11-18.....Zener diodes supplied in hermetically sealed packages with diffused silicon junctions. 4 pp.

Form 11-22.....Zener diodes, encapsulated axial lead packages. 4 pp.

Stud mounted silicon rectifiers in hermetically sealed packages as listed below—2 pp. each.

Form 11-23.....1N253—1N256.

Form 11-24.....1N332—1N349.

Form 11-25.....1N607—1N614.

Form 11-26.....1N1115—1N1120.

Form 11-27.....1N1124—1N1128.

Form 11-28.....1N1537—1N1544.

Form 11-29.....1N3569—1N3574.

Form 11-34.....18-Amp Automotive Silicon Rectifier. (Press-Fit). 2 pp.

Form 11-35.....25-Amp Automotive Silicon Rectifier (Press-Fit). 2 pp.

Form 11-33.....Stud Mounted High Current Silicon Rectifier Industrial Type. 2 pp.

Form 11-36.....1N440—1N445—1N440B—1N445B.

Form 11-37.....1N599—1N606—1N599A—1N606A.

Form 11-38.....1N536—1N547—1N1095—1N1096.

Form 11-39.....1N1100—1N1105.

Form 11-40.....1N1487—1N1492.

Form 11-41.....1N1692—1N1697

Form 11-42.....1N2858—1N2864

MALLORY METALLURGICAL COMPANY

Box 1582 • Indianapolis, Indiana 46206

Metallic and electrical materials, components, devices and assemblies, such as electrical contacts, high density, refractory and other powder metal products and resistance welding alloys, dies and accessories.

Form 6-25.....Elkonite® Materials—refractory metal compositions—their properties and uses. 4 pp.

Form 6-27.....High density metals fabricated by special powder metallurgy techniques. Specifications. 12 pp.

Form 6-26.....Ultramag, a magnetic alloy that offers both mass and magnetism in a single structural element. 2 pp.

Form 3-25.....Electrical contacts and contact assemblies. A variety of basic forms or designs in a wide selection of materials. 72 pp.

Form 8-80.....Resistance welding products including electrodes, adapters and accessories. 52 pp.

Form 8-79.....Electrode materials for electrical discharge machining. 4 pp.

Form 8-78.....Copper Base Alloys—their properties and applications. 20 pp.

Form 8-77.....Nu-Twist® Resistance Welding Products—a time and money saving system. 6 pp.

Form 6-24.....Metallurgy at Mallory—A comprehensive report on products and facilities of Mallory Metallurgical Company. 28 pp.

PLANTS.....INDIANAPOLIS, INDIANA
BIRMINGHAM, MICHIGAN

MALLORY CONTROLS COMPANY

Box 231 • Frankfort, Indiana 46041

Variable carbon element controls. Variable wire-wound controls. Fixed and adjustable vitreous enamel resistors. Film resistors (fixed only). Power rheostats. Jacks and plugs. Single and multiple section rotary switches.

Form 98-41.....Composition Carbon Controls—including single, dual tandem, dual concentric, multi-section, miniature and printed circuit types. 40 pp.

Form 98-44.....Switches, Resistors, Jacks, Plugs, Rheostats and Potentiometers described in one catalog. 92 pp.

Form 98-45.....Miniature Trimmer Control. Low Wattage carbon type for printed circuitry. 2 pp.

Form 98-46.....Circuit Breaker Switch Control Assembly. 2 pp.

Microcomponents Department, P. R. MALLORY & CO. INC.

3029 East Washington Street

Indianapolis, Indiana 46206

Micromodules and microcircuit packages. Pellet film resistors and interconnection materials. For details, contact Microcomponents Department.

Form 0-26.....Pellet film resistors offer flexibility in package design and are easily adapted to automatic assembly techniques. 2 pp.

MALLORY TIMERS COMPANY

Box 1615 • Indianapolis, Indiana 46206

Industrial switches, principally interval timer switches for the appliance industry, rotary switches, custom designed automatic switches, and medium-power timer switches for similar applications. Constant speed heavy duty timers, reset timers, adjustable cam timers, electronic timers and programmers. Self-holding resonant relays.

Form 73-32.....Resonant Relays—Self-holding or ordinary types. Self-latching-tone released. Optional sequential features. 4 pp.

Form 73-33.....Mallory Timers Company Facilities Brochure. 16 pp.
Timer Switches—Interval and constant speed types. Custom-designed automatic timers. Vending timers and industrial timers. (*Advise specific requirements for details.*)

PLANTS.....WARSAW, NEW YORK
MT. MORRIS, NEW YORK
PANA, ILLINOIS

RADIO MATERIALS COMPANY

4242 West Bryn Mawr • Chicago, Illinois 60646

Disc ceramic capacitors . . . Discaps® . . . temperature compensating, high K, heavy duty, high voltage, finlock for printed circuits, low voltage high capacity transistor types and reliable miniature circuits.

CERAMIC DISC CAPACITORS

Catalog High quality ceramic capacitors used "RMC-DISCAPS" for coupling, by-pass and filter applications in radio, TV and other electronic products. 20 pp.

PLANTS.....CHICAGO, ILLINOIS
ATTICA, INDIANA

MALLORY CAPACITOR COMPANY

3029 East Washington Street
Indianapolis, Indiana 46206

Tantalum capacitors including high temperature sintered anode types, tantalum foil types and solid electrolyte types. Aluminum electrolytic capacitors for industrial use, entertainment equipment and high reliability—extra long life designs. AC paper dielectric capacitors.

ALUMINUM ELECTROLYTIC CAPACITORS

Form 4-2.....Capacitors which meet all requirements of Department of Defense specification MIL-C-62. 6 pp.

Form 4-5.....Tubular axial lead type TC. Aluminum container. For radio, TV and communications applications. 6 pp.

Form 4-11.....Twist-prong mounting type FP. The original 85°C capacitor for radio, TV and printed circuits. 8 pp.

Form 4-22.....AC motor start capacitors designed to supply starting torque to fractional and integral horsepower motors. 4 pp.

Form 4-33.....Axial lead miniature aluminum tubular type TT for transistor circuitry, computer and entertainment applications. 2 pp.

Form 4-45.....Plastic case miniature types PET and PETA. Type PET has leads emerging from one end for printed circuit applications. Type PETA is axial lead type. 4 pp.

Form 4-46.....Types HC and NP for heavy duty electrical applications. Type HC is polarized and type NP is non-polarized. High reliability type. 4 pp.

- Form 4-56*.....Premium Grade type PC capacitors are used for instrumentation and as the standard for telephone communications. High reliability type. 4 pp.
- Form 4-62*.....Miniature axial lead type KETA in plastic case for entertainment applications. 4 pp.
- Form 4-64*.....Type CG—Computer Grade capacitors. Designed specifically for the computer industry. High reliability type. 8 pp.
- Form 4-66*.....Axial lead tubular type TCW for low voltages encountered in transistorized circuitry. 4 pp.
- Form 4-67*.....Axial lead type TPG for computer and other applications requiring high reliability. 2 pp.
- Form 4-68*.....Type HTA—the first aluminum designed for -55°C to $+125^{\circ}\text{C}$ operation. 2 pp.
- Form 4-72*.....Type CVM Vertical Mount. 6 pp.
- Form 4-14*.....AC Paper Dielectric Capacitors for power factor correction. 8 pp.

TANTALUM ELECTROLYTIC CAPACITORS

FOIL

- Form 4-65*.....Tantalum foil capacitors are available in either plain or etched foil and may be either polarized or non-polarized. 12 pp.

SOLID

- Form 4-40*.....Axial lead hermetically sealed tinned metal case. Sintered anode type TAS. 4 pp.
- Form 4-47*.....Type TAM—parallel lead type for printed circuit applications. 4 pp.

WET SLUG

- Form 4-38*.....Subminiature axial lead type TNT. 4 pp.
- Form 4-52*.....Miniature axial lead type TAP. 4 pp.
- Form 4-57*.....High temperature axial lead type TAH. 4 pp.
- Form 4-60*.....High temperature and high capacity XTH, XTL, XTV capacitors. Variety of configurations. 6 pp.
- Form 4-49*.....Types XTK and XTM capacitors. Axial lead type plus seven other configurations. 4 pp.
- Form 4-69*.....Type XTG Radiation Resistant Capacitors. 6 pp.
- Form 4-70*.....Type MTP miniature size, high capacitance. 4 pp.
- Form 4-71*.....Type TLS meets requirements of CL64, CL65. 4 pp.

PLANTS.....INDIANAPOLIS, INDIANA
GREENCASTLE, INDIANA
CRAWFORDSVILLE, INDIANA
HUNTSVILLE, ALABAMA

CORPORATE INFORMATION

P. R. MALLORY & CO. INC. • Advertising Department
3029 East Washington Street
Indianapolis, Indiana 46206

- Form 0-10*.....About Mallory—List names, titles and locations of key corporate and division personnel. 20 pp.
- Form 0-25*.....Product Guide—Illustrates and gives brief description of products manufactured by the various Mallory divisions. 28 pp.

BUSINESS REPLY MAIL

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

POSTAGE WILL BE PAID BY . . .

P. R. MALLORY & CO. INC.

ADVERTISING DEPARTMENT

3029 EAST WASHINGTON STREET

INDIANAPOLIS, INDIANA 46206

U. S. Postage

PAID

Permit No. 1307
Indianapolis, Ind.



